

## Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا ١٥١٨٩ Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : JULIAN WANGARI WANJIKU

DOB/Gender : 02-08-1982 (41 Yrs 10 Month 10

Days/Female)

Lab No. : **22241570011** 

Request Date : 05-06-2024 09:27

Insurance : **NEXTCARE** 

File. No. : AAL02-398418

Referral Doctor : Dr. Humaira Mumtaz

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 43294

**CLINICAL BIOCHEMISTRY** 

Test Name Result Units Ref. Range Method

C-Reactive Protein (CRP) <0.60 mg/L Negative < or = to 5.0 Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Solmaz Siddiqui** Laboratory Director DHA/LS/248469 Patient Sample Collected On: 04-06-2024 19:00:00 Authenticated On: 05-06-2024 12:13:51

Printed On: 05-06-2024 22:27:57

Received On: 05-06-2024 09:27:00 Released On: 05-06-2024 12:25:49

Reprinted On: 06-06-2024 01:19:52

Padmapriya Kumareshan

Sr. Technician

DHA/LS2992011/243822

