

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ما المام Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : MOHAMED SAYED HASSAN MOHAMED File. No. : AAL02-399047

DOB/Gender : 17-03-1997 (27 Yrs 3 Month 14 Days/Male) Referral Doctor : Dr. Humaira Mumtaz

Lab No. : 22241610184 Referral Clinic : Peshawar(Irham Medical Center)

Insurance : NATIONAL GENERAL INSURANCE (HEALTHNET)

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	13.40 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On: 07-06-2024 19:00:00

Authenticated On: 09-06-2024 19:16:07 Released On: 09-06-2024 19:32:5

Received On: 09-06-2024 16:04:00 Released On: 09-06-2024 19:32:52

- Comment

Rhea Suberon
Medical Laboratory
Technician
DHA/LS/123639

