

LABORATORY REPORT

Name	: AHMED NABIL	File. No.	: AAL02-399088
DOB/Gender	: 06-08-1988 (35 Yrs 10 Month 2 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22241600204	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 08-06-2024 13:15	Clinic File No	: 42866
Insurance	: NEXTCARE		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	0.72	mg/L	Negative < or = to 5.0	Immunoturbidimetric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 08-06-2024 11:30:00
Authenticated On : 08-06-2024 16:02:53
Printed On : 08-06-2024 17:58:01

Received On : 08-06-2024 14:54:00
Released On : 08-06-2024 17:09:47

Pring

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: AHMED NABIL	File. No.	: AAL02-399088
DOB/Gender	: 06-08-1988 (35 Yrs 10 Month 2 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22241600204	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 08-06-2024 13:15	Clinic File No	: 42866
Insurance	: NEXTCARE		

MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS

Test Name	Result	Units	Ref. Range	Method
<u>URINE ROUTINE (URINALYSIS)</u>				
<u>PHYSICAL EXAMINATION</u>				
Color	Light Yellow		Yellow	Light Scatter
Appearance	Clear		Clear	Light Scatter
Specific Gravity	1.023		1.005 - 1.030	Refractrometry
PH	5.00		4.6 - 8.0	Litmus reaction
Glucose	Negative		Negative	Enz.Rn/Reflect
Ketone	Negative		Negative	Legal's method
Protein	Negative		Negative	Dye Binding
Blood	Negative		Negative	Peroxidase Activity/Reflectance
Bilirubin	Negative		Negative	Acidified Diazo Coupling
Urobilinogen	Normal	mg/dL	Normal 0.2 - 1.0	Buffered Diazo Coupling
Nitrite	Negative		Negative	Mod. Gries Rn
Leukocytes.	Negative		Negative	Enz.Rn/Reflect
<u>MICROSCOPIC EXAMINATION</u>				
Pus Cells	1 - 2	/HPF	1 - 4	F.D.I/Microscopy
RBC's	0 - 1	/HPF	0 - 2	F.D.I/Microscopy
Epithelial cells	0 - 1	/HPF	1 - 4	F.D.I/Microscopy
Bacteria	Absent	/HPF	Absent	F.D.I/Microscopy
Yeast cells	Absent	/HPF	Absent	F.D.I/Microscopy
Trichomonas Vaginalis	Absent	/HPF	Absent	F.D.I/Microscopy
Mucus Threads	Few	/HPF	Absent	F.D.I/Microscopy
Crystals	Absent	/HPF	Absent	F.D.I/Microscopy
Casts	Absent	/LPF	Absent	F.D.I/Microscopy

Bilirubin and Urobilinogen when exposed to sunlight leads to artificially low results, hence recommended to collect urine in dark container for analyzing Urine

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 08-06-2024 11:30:00
Authenticated On : 08-06-2024 15:40:55
Printed On : 08-06-2024 16:31:23

Received On : 08-06-2024 14:54:00
Released On : 08-06-2024 15:52:24
Reprinted On : 08-06-2024 17:58:01

Pring

Padmapriya Kumareshan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: AHMED NABIL	File. No.	: AAL02-399088
DOB/Gender	: 06-08-1988 (35 Yrs 10 Month 2 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22241600204	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 08-06-2024 13:15	Clinic File No	: 42866
Insurance	: NEXTCARE		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Bilirubin and Urobilinogen if clinically indicated.

Kindly note that there are chances of false negative result for *Trichomonas vaginalis*, as *Trichomonas vaginalis* viability is temperature and time sensitive.

Kindly note the new methodology is effective from 31-10-2022.

Sample Type : Urine

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 08-06-2024 11:30:00
Authenticated On : 08-06-2024 15:40:55
Printed On : 08-06-2024 16:31:23

Received On : 08-06-2024 14:54:00
Released On : 08-06-2024 15:52:24
Reprinted On : 08-06-2024 17:58:01

Pring

Padmapriya Kumareshan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: AHMED NABIL	File. No.	: AAL02-399088
DOB/Gender	: 06-08-1988 (35 Yrs 10 Month 2 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22241600204	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 08-06-2024 13:15	Clinic File No	: 42866
Insurance	: NEXTCARE		

**LIPID PROFILE I
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Cholesterol	182.00	mg/dL	Desirable: < 200 Borderline: 200 - 239 High: ≥ 240	Enzymatic-Cholesterol esterase
Please note Reference Range Reviewed w.ef 15/10/23				
Triglycerides	77.80	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: ≥ 500	Enzymatic GPO
Please note Reference Range Reviewed w.ef 15/10/23				
HDL Cholesterol	45.20	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Reviewed w.ef 15/10/23				
LDL Cholesterol	126.00	mg/dL	Optimal: < 100 Near or above optimal: 100-129 Borderline High: 130 - 159 High: 160-189 Very High: ≥ 190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Reviewed w.ef 15/10/23				
*VLDL	10.80	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	4.03	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: ≥ 6	Calculation

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 08-06-2024 11:30:00
Authenticated On : 08-06-2024 16:02:53
Printed On : 08-06-2024 17:58:01

Received On : 08-06-2024 14:54:00
Released On : 08-06-2024 17:09:47

Priya

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822