

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : FREDALYN BILAN BAGSAO File. No.

: AAL02-399679

DOB/Gender

: 15-02-1991 (33 Yrs 4 Month 21 Days/Female) Referral Doctor

: Dr. Humaira Mumtaz

Lab No.

: 22241640041

Referral Clinic : Peshawar(Irham Medical Center)

Request Date : 12-06-2024 11:11:37

Clinic File No : 42593

Insurance

: NEXTCARE

## **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	139.00 <sup>H</sup>	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 11-06-2024 12:00:00

Authenticated On: 12-06-2024 16:48:38

Received On: 12-06-2024 11:11:00 Released On: 12-06-2024 17:14:01

**Padmapriya** Kumareshan

Sr. Technician

DHA/LS2992011/243822

