

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : SYED FAKHIR ALI File. No.

: AAL02-399880

DOB/Gender

: 27-12-2001 (22 Yrs 5 Month 14 Days/Male)

Referral Doctor

: Dr. Humaira Mumtaz

Lab No.

: 22241660001

Referral Clinic

: Peshawar(Irham Medical Center)

Request Date : 14-06-2024 07:50:17

Clinic File No

: 38765

Insurance

: NATIONAL GENERAL INSURANCE (HEALTHNET)

CLINICAL BIOCHEMISTRY

Test Name Result Units Ref. Range Method

mg/L

19.00 H **C-Reactive Protein (CRP)**

Negative < or = to 5.0

Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

Patient Sample Collected On: 12-06-2024 11:00:00

Authenticated On: 14-06-2024 15:47:28

Received On: 14-06-2024 07:50:00 Released On: 14-06-2024 16:14:34 **Padmapriya** Kumareshan

Sr. Technician

DHA/LS2992011/243822

