

## Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ما Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : MOHAMED SAAD ABDELKAWY MOHAMED File. No. : DML02-250467

DOB/Gender : 21-11-1981 (42 Yrs 6 Month 25 Days/Male) Referral Doctor : Dr. Humaira Mumtaz

Lab No. : 22241670003 Referral Clinic : Peshawar(Irham Medical Center)

Insurance : NATIONAL GENERAL INSURANCE (HEALTHNET)

## **CLINICAL BIOCHEMISTRY**

| Test Name                | Result            | Units | Ref. Range             | Method                     |
|--------------------------|-------------------|-------|------------------------|----------------------------|
| C-Reactive Protein (CRP) | 6.59 <sup>H</sup> | mg/L  | Negative < or = to 5.0 | Immunoturbidim etric Assav |

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Solmaz Siddiqui** Laboratory Director DHA/LS/248469 Patient Sample Collected On: 14-06-2024 19:00:00

Authenticated On: 15-06-2024 13:19:57 Released On: 15-06-2024 14:17:

Received On: 15-06-2024 09:17:00 Released On: 15-06-2024 14:17:23 Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

