

## Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا ١٥١٨٩ Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : BUSHRA BASHIR BASHIR AHMAD KHAN

NIAZI

DOB/Gender : 10-05-1975 (49 Yrs 1 Month 7 Days/Female)

Lab No. : 22241690095

Request Date : 17-06-2024 13:11:49

Insurance : **NEXTCARE** 

File. No. : **AAL02-400552** 

Referral Doctor : **Dr. Enomen Goodluck Ekata**Referral Clinic : **Peshawar(Irham Medical Center)** 

Clinic File No : 43379

## IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
ANA - Screen (serum)	0.3	Index	Negative: <0.8 Doubtfull: 0.8 - 1.2 Positive: > 1.2	ELISA

ANA test screens antibodies against:

Sm (Smith antigen), U1 sn RNP, snRNP/Sm, SS-A, SS-B, ScI-70, CenpB and Jo-1

ANA: Upto 15% of completely healthy people have a positive ANA test. Thus a positive test does not automatically translate into a diagnosis of lupus or any autoimmune antibody or connective tissue disease. Older age, Viral infection as well as certain medication can play a role in positive ANA reading (American college Rheumatology). Trace borderline reactions are to be confirmed by a repeat test after two to four weeks & to be interpreted in the light of clinical & medication history

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Solmaz Siddiqui** Laboratory Director DHA/LS/248469 Patient Sample Collected On: 15-06-2024 18:00:00

Authenticated On: 18-06-2024 16:21:36

Received On: 17-06-2024 15:02:00 Released On: 18-06-2024 16:46:53 Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

