

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ما Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : BUSHRA BASHIR BASHIR AHMAD KHAN

NIAZI

DOB/Gender : 10-05-1975 (49 Yrs 1 Month 7 Days/Female)

Lab No. : **22241690095**

Request Date : 17-06-2024 13:11:49

Insurance : **NEXTCARE**

File. No. : **AAL02-400552**

Referral Clinic : Peshawar(Irham Medical Center)

: Dr. Enomen Goodluck Ekata

Clinic File No : 43379

Referral Doctor

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
*Rheumatoid Factor (RF)	<10.00	IU/mL	<14	Immunoturbidim etric

The measurement of rheumatoid factor is useful in evaluating the diagnosis, effects of therapy, and prognosis of diseases such as rheumatoid arthritis,

systemic lupus erythematosus, Sjögren's syndrome, cryoglobulinemia, and chronic hepatopathy. Please note Reference Range Reviewed w.ef 15/10/23 Sample Type: Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On: 15-06-2024 18:00:00

Authenticated On: 17-06-2024 15:44:33

Received On: 17-06-2024 15:02:00 Released On: 17-06-2024 15:56:37

PadmapriyaKumareshan

Sr. Technician

DHA/LS2992011/243822