

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : DEEPAPRIYA VELUMANI File. No. : AAL02-401806

DOB/Gender

: 29-12-1975 (48 Yrs 5 Month 26 Days/Female) Referral Doctor

: Dr. Enomen Goodluck Ekata

Lab No.

: 22241760469

: Peshawar(Irham Medical Center)

Request Date : 24-06-2024 21:59:45

Referral Clinic Clinic File No : 43259

Insurance

: NAS ADMINISTRATION SERVICES LTD

LIPID PROF	ILE	ı
------------	-----	---

## **CLINICAL BIOCHEMISTRY**

	GEIMOAE BIGGITEMIGTKT						
Test Name	Result	Units	Ref. Range	Method			
Cholesterol	292.00 <sup>H</sup>	mg/dL	Desirable: < 200 Borderline:200 -239 High: >or =240	Enzymatic- Cholesterol esterase			
Please note Reference Range Revie	ewed w.ef 15/10/23						
Triglycerides	262.00 <sup>H</sup>	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: >or =500	Enzymatic GPO			
Please note Reference Range Revie	ewed w.ef 15/10/23						
HDL Cholesterol	39.40 <sup>L</sup>	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD			
Please note Reference Range Revie	ewed w.ef 15/10/23						
LDL Cholesterol	214.00 <sup>H</sup>	mg/dL	Optimal: < 100 Near or above optimal:100-129 Borderline High: 130 - 159 High: 160 - 189 Very High: >or=190	Homo. Enz, Liq. Selective Surfactant			
Please note Reference Range Revie	ewed w.ef 15/10/23						
*VLDL	38.60 <sup>H</sup>	mg/dL	5.0 - 30.0	Calculation			
*Cholesterol / HDL	7.41 <sup>H</sup>	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: >6	Calculation			

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

--- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

Patient Sample Collected On: 24-06-2024 19:00:00 Authenticated On: 24-06-2024 23:26:55

Received On: 24-06-2024 21:59:00 Released On: 24-06-2024 23:34:05

**Padmapriya** Kumareshan

Sr. Technician

DHA/LS2992011/243822

