

# Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : MILAD SELIEMAN SALEH

DOB/Gender : 10-01-1998 (26 Yrs 5 Month 6 Days/Male)

Lab No. : 22241780184

Request Date : 26-06-2024 15:00:13

Insurance : NEXTCARE File. No. : AAL02-349949

Referral Doctor : Dr. Enomen Goodluck Ekata

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 41090

#### IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
*H.pylori Antigen - stool	Negative		Negative	Lateral flow immunoassay

H. Pylori antigen in stool is a screening test for the presence of the bacterial antigen in stool. Results should always be correlated with the clinical findings. If clinical symptoms persists, additional testing by "Urea Breath Test" is recommended as being the sensitive method of choice. Sample Type: Stool

> These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 26-06-2024 13:00:00

Authenticated On: 26-06-2024 16:25:38

Released On: 26-06-2024 16:35:58

Received On: 26-06-2024 15:00:00

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673



## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : MILAD SELIEMAN SALEH

DOB/Gender : 10-01-1998 (26 Yrs 5 Month 6 Days/Male)

Lab No. : 22241780184

Request Date : 26-06-2024 15:00:13

: NEXTCARE Insurance

File. No. : AAL02-349949

Referral Doctor : Dr. Enomen Goodluck Ekata

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 41090

MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS
---------------------------------------

Test Name	Result	Units	Ref. Range	Method
STOOL ANALYSIS				
STOOL (MACROSCOPY)				
Color	Brown		Brown	Manual Macroscopy
Consistency	Soft		Formed/Soft	Macroscopy
Blood	Absent		Absent	Macroscopy
Mucus	Absent		Absent	Macroscopy
STOOL MICROSCOPY				
Pus Cells	0 - 1	HPF	1 - 2	Microscopy
RBC	0 - 1	HPF	0 - 1	Microscopy
Epithelial cells	Absent	HPF	Absent	Microscopy
CYSTS	Absent	HPF	Absent	Microscopy
OVA	Absent	HPF	Absent	Microscopy
Parasites	Absent	HPF	Absent	Microscopy
Protozoa	Absent	HPF	Absent	Microscopy
Worms	Absent	HPF	Absent	Microscopy
Indigestive material	Absent	HPF	Absent	Microscopy
Yeast Cells	+	HPF	Absent	Microscopy

Kindly note test reports for Stool samples include Parasitology (Ova, Cysts & Parasites). This is based on wet mount and not concentrated process. Sample Type: Stool

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 26-06-2024 13:00:00

Authenticated On: 26-06-2024 16:25:38 Released On: 26-06-2024 16:35:58

Received On: 26-06-2024 15:00:00

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

