

LABORATORY REPORT

Name	: MILAD SELIEMAN SALEH	File. No.	: AAL02-349949
DOB/Gender	: 10-01-1998 (26 Yrs 5 Month 16 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22241780287	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 26-06-2024 19:09:51	Clinic File No	: 41090
Insurance	: NEXTCARE		

MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS

Test Name	Result	Units	Ref. Range	Method
<u>URINE ROUTINE (URINALYSIS)</u>				
<u>PHYSICAL EXAMINATION</u>				
Color	Light Yellow		Yellow	Light Scatter
Appearance	Clear		Clear	Light Scatter
Specific Gravity	1.015		1.005 - 1.030	Refractrometry
PH	7.00		4.6 - 8.0	Litmus reaction
Glucose	Negative		Negative	Enz.Rn/Reflect
Ketone	Negative		Negative	Legal's method
Protein	Negative		Negative	Dye Binding
Blood	Negative		Negative	Peroxidase Activity/Reflectance
Bilirubin	Negative		Negative	Acidified Diazo Coupling
Urobilinogen	Normal	mg/dL	Normal 0.2 - 1.0	Buffered Diazo Coupling
Nitrite	Negative		Negative	Mod. Gries Rn
Leukocytes.	Negative		Negative	Enz.Rn/Reflect
<u>MICROSCOPIC EXAMINATION</u>				
Pus Cells	1 - 2	/HPF	1 - 4	F.D.I/Microscopy
RBC's	0 - 1	/HPF	0 - 2	F.D.I/Microscopy
Epithelial cells	0 - 1	/HPF	1 - 4	F.D.I/Microscopy
Bacteria	Absent	/HPF	Absent	F.D.I/Microscopy
Yeast cells	Absent	/HPF	Absent	F.D.I/Microscopy
Trichomonas Vaginalis	Absent	/HPF	Absent	F.D.I/Microscopy
Mucus Threads	Absent	/HPF	Absent	F.D.I/Microscopy
Crystals	Absent	/HPF	Absent	F.D.I/Microscopy
Casts	Absent	/LPF	Absent	F.D.I/Microscopy

Bilirubin and Urobilinogen when exposed to sunlight leads to artificially low results, hence recommended to collect urine in dark container for analyzing Urine

Bilirubin and Urobilinogen if clinically indicated.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 26-06-2024 12:00:00
Authenticated On : 26-06-2024 20:24:14

Received On : 26-06-2024 19:14:00
Released On : 26-06-2024 20:48:36

Pring

Padmapriya Kumareshan
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: MILAD SELIEMAN SALEH	File. No.	: AAL02-349949
DOB/Gender	: 10-01-1998 (26 Yrs 5 Month 16 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22241780287	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 26-06-2024 19:09:51	Clinic File No	: 41090
Insurance	: NEXTCARE		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Kindly note that there are chances of false negative result for *Trichomonas vaginalis*, as *Trichomonas vaginalis* viability is temperature and time sensitive.

Kindly note the new methodology is effective from 31-10-2022.

Sample Type : Urine

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 26-06-2024 12:00:00
Authenticated On : 26-06-2024 20:24:14

Received On : 26-06-2024 19:14:00
Released On : 26-06-2024 20:48:36



Padmapriya Kumareshan
Sr. Technician
DHA-P-2992011