

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : NATALIA VERENIKINA

: 08-01-1987 (37 Yrs 6 Month 7 Days/Female) DOB/Gender

Lab No. : 22241810096

Request Date : 29-06-2024 12:44 Insurance : NEXTCARE

File. No. : AAL02-402778

Referral Doctor : Dr. Humaira Mumtaz

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 43457

## **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	<0.60	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 28-06-2024 20:00:00 Authenticated On: 29-06-2024 15:11:06

Printed On: 29-06-2024 20:37:16

Received On: 29-06-2024 12:45:00

Released On: 29-06-2024 15:19:18

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

