

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

: MUHAMMED FAYIS POTTAN PILAKKIL Name

DOB/Gender : 17-03-1998 (26 Yrs 3 Month 23 Days/Male)

File. No.

: AAL02-368823

MOOSA

Referral Doctor

: Dr. Humaira Mumtaz

Lab No.

: 22241770010

Referral Clinic

: Peshawar(Irham Medical Center)

Request Date : 25-06-2024 10:42

Clinic File No

: ALMADALLAH HEALTHCARE MANAGEMENT Insurance

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	54.70 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 23-06-2024 20:00:00 Authenticated On: 25-06-2024 12:26:31

Printed On: 28-06-2024 21:03:16

Received On: 25-06-2024 10:43:00 Released On: 25-06-2024 12:34:24

Reprinted On: 28-06-2024 22:00:33

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

