

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : SUDIP SHRESTHA File. No. : AAL02-403291

DOB/Gender

: 20-11-1998 (25 Yrs 7 Month 21 Days/Male)

: Dr. Humaira Mumtaz

Lab No.

Referral Doctor

: 22241840090

Referral Clinic

: Peshawar(Irham Medical Center)

Request Date : 02-07-2024 12:08:50

Clinic File No : 28938

Insurance

: NATIONAL GENERAL INSURANCE (HEALTHNET)

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	0.97	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assav

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 01-07-2024 12:00:00

Authenticated On: 02-07-2024 13:23:23 Released On: 02-07-2024 13:37:24

Received On: 02-07-2024 12:09:00

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

