

Lab No.

Insurance

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

: MUHAMMED ABINAS MUHAMMED SALEEM File. No. Name

DOB/Gender : 08-04-2000 (24 Yrs 2 Month 26 Days/Male)

: 22241860213

Referral Doctor Referral Clinic

Clinic File No

: AAL02-403818

: Dr. Enomen Goodluck Ekata

Citicare Medical Center LLC aka Peshawar(Irham Medical Center)

Request Date : 04-07-2024 15:18:26

: ALMADALLAH HEALTHCARE MANAGEMENT

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	0.98	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 04-07-2024 12:03:00

Authenticated On: 04-07-2024 16:19:06 Released On: 04-07-2024 16:48:54

Received On: 04-07-2024 15:19:00

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

