

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : NOUR ALI JNAD File. No.

: AAL02-404065

DOB/Gender

: 07-04-1984 (40 Yrs 2 Month 28 Days/Male)

137.7 H

Referral Doctor : Dr. Humaira Mumtaz

Lab No.

: 22241870258

Referral Clinic

: Citicare Medical Center LLC

Request Date : 05-07-2024 18:53

Clinic File No

: 43490

Insurance

H.pylori Abs - IgG

: NATIONAL GENERAL INSURANCE (HEALTHNET)

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

UA/mL

Test Name Result Units Ref. Range Method

> **ELISA** Negative: < 8 Doubtfull: 8 - 12

Positive: > 12

A positive test result confirms the presence of specific antibodies.

A negative result indicates that no clinically relevant antibodies against the pathogen are present in the patient's sample, but does not exclude the possibility of an acute infection.

In case of a borderline result a reliable evaluation is not possible.

A definitive diagnosis can only be achieved by testing paired serum samples, taken at one to two weeks intervals, in parallel.

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 05-07-2024 12:00:00 Authenticated On: 05-07-2024 23:00:29

Printed On: 06-07-2024 00:12:18

Received On: 05-07-2024 18:53:00 Released On: 05-07-2024 23:18:01

Reprinted On: 06-07-2024 01:55:55

Padmapriya Kumareshan Sr. Technician

DHA-P-2992011



Page 1 of 1