

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : ARNELA JANE PABELIC

DOB/Gender : 10-10-1994 (29 Yrs 9 Month 9 Days/Female)

Lab No. : 22241930004

Request Date : 11-07-2024 09:00:37

Insurance : NEXTCARE File. No. : AAL02-404866

Referral Doctor : Dr. Enomen Goodluck Ekata

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 43537

CLINICAL BIOCHEMISTRY

| Test Name | Result | Units | Ref. Range | Method |
|--------------------------|--------------------|-------|------------------------|----------------------------|
| C-Reactive Protein (CRP) | 40.40 ^H | mg/L | Negative < or = to 5.0 | Immunoturbidim etric Assay |

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 10-07-2024 11:00:00 Received On: 11-07-2024 09:02:00 Authenticated On: 11-07-2024 12:07:37

Released On: 11-07-2024 12:16:06

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

