

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : JIMMY GEORGES SALIBA

DOB/Gender : 08-01-1988 (36 Yrs 6 Month 19 Days/Male)

Lab No. : 22241930003

Request Date : 11-07-2024 08:48:58

Insurance : NEXTCARE File. No. : AAL02-404857

Referral Doctor : Dr. Humaira Mumtaz

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 43538

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	1.27	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assav

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 10-07-2024 12:00:00 Received On: 11-07-2024 08:50:00

Authenticated On: 11-07-2024 10:34:47 Released On: 11-07-2024 10:35:45

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

