

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

: MA JOSEPHINE REFUNDO AUSTRIA Name

File. No. : AAL02-325821

DOB/Gender

: 18-10-1978 (45 Yrs 8 Month 23 Days/Female) Referral Doctor

: Dr. Enomen Goodluck Ekata

Lab No. : 22241930151 Referral Clinic

: Citicare Medical Center LLC

Request Date : 11-07-2024 14:35:48

Clinic File No : 28568

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
HbA1c (Glycosylated Hb)	6.11 ^H	%	Normal: =< 5.6 High risk/prediabetes: 5.7-6.4	TINIA(turbidimetr ic inhibition
			Diabetes: =>6.5	immunoassay)

In the absence of unequivocal hyperglycemia, result should be confirmed by repeat testing. Diabetic patients with HbA1c less than 7% meets the therapeutic

goals of the American Diabetes Association (ADA 2010). Please note Reference Range Reviewed w.ef 15/10/23. Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary. Sample Type: EDTA WB

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 10-07-2024 20:50:00

Authenticated On: 11-07-2024 16:27:44 Released On: 11-07-2024 17:34:14

Received On: 11-07-2024 14:42:00

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

