



BML437318

Laboratory Investigation Report

Name	: Ms. MANJU LAMA	Ref No.	: 43186
DOB	:	Sample No.	: 2407447081
Age / Gender	: 37 Y / Female	Collected	: 11/07/2024 19:00
Referred by	: DR HUMEIRA	Registered	: 11/07/2024 21:59
Centre	: CITICARE MEDICAL CENTER	Reported	: 11/07/2024 23:28

IMMUNOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
RHEUMATOID FACTOR (QUANTITATIVE)	< 11.27		IU/mL	< 14.0 Please note change. Source: Roche IFU.	Immunoturbidimetry

INTERPRETATION NOTES :

Rheumatoid factors (RF) are a heterogeneous group of autoantibodies that are associated with the diagnosis of rheumatoid arthritis (RA), but can also be found in other inflammatory rheumatic and nonrheumatic conditions. This is a presumptive test, confirm with Anti-CCP test if needed. Clinical diagnosis should not be made on the findings of a single test result, but should integrate both clinical and laboratory data.

Sample Type : Serum

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist



HARSHAD MANIKANDAN
Laboratory Technician

This is an electronically authenticated report

Page 1 of 2

Printed on: 12/07/2024 07:56

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML437318

Laboratory Investigation Report

Name	: Ms. MANJU LAMA	Ref No.	: 43186
DOB	:	Sample No.	: 2407447081
Age / Gender	: 37 Y / Female	Collected	: 11/07/2024 19:00
Referred by	: DR HUMEIRA	Registered	: 11/07/2024 21:59
Centre	: CITICARE MEDICAL CENTER	Reported	: 11/07/2024 23:26

HAEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
ERYTHROCYTE SEDIMENTATION RATE (ESR)	24	H	mm/hr	< 20 Please note change in reference range and method.	Automated

Comments : Please correlate clinically.

INTERPRETATION NOTES :

Increased ESR is seen in inflammation, pregnancy, anemia, autoimmune disorders (such as rheumatoid arthritis and lupus), infections, some kidney diseases and some cancers (such as lymphoma and multiple myeloma).

The ESR is decreased in polycythemia, hyperviscosity, sickle cell anemia, leukemia, low plasma protein (due to liver or kidney disease), congestive heart failure, hypofibrinogenemia and leukocytosis.

Sample Type : EDTA Whole Blood

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 2 of 2



Reena Babu
Laboratory Technologist

Printed on: 12/07/2024 07:56

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

