

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : YE MIN HTWE

: 30-11-1991 (32 Yrs 7 Month 13 Days/Male)

Lab No. : 22241980002

Request Date : 16-07-2024 09:02:04

: NAS ADMINISTRATION SERVICES LTD Insurance

DOB/Gender

File. No. : AAL02-405590 Referral Doctor

: Dr. Humaira Mumtaz

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 43572

**CLINICAL BIOCHEMISTRY** 

**Test Name** Result Units Ref. Range Method **C-Reactive Protein (CRP)** Negative < or = to 5.0 < 0.60 mg/L Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 14-07-2024 12:00:00 Received On: 16-07-2024 09:02:00 Authenticated On: 16-07-2024 12:06:33

Released On: 16-07-2024 12:29:29

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

