

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : OMAR AHMED MAHMOUD ALI File. No. : AAL02-313653

DOB/Gender

: 18-11-1981 (42 Yrs 8 Month 17 Days/Male)

Referral Doctor : Dr. Enomen Goodluck Ekata

Lab No.

: 22242020118

Referral Clinic : Citicare Medical Center LLC

Request Date : 20-07-2024 13:52

: 36890

Insurance

: ALMADALLAH HEALTHCARE MANAGEMENT

Clinic File No

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	1.45	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 20-07-2024 11:00:00 Authenticated On: 20-07-2024 16:51:18

Printed On: 20-07-2024 18:46:31

Received On: 20-07-2024 13:53:00

Released On: 20-07-2024 17:27:04

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673



