



BML441749

Laboratory Investigation Report

Name	: Mr. ANTHONY APPIAH NSIAH	Ref No.	: 43629
DOB	: 13/10/1994	Sample No.	: 2407451552
Age / Gender	: 29 Y 9 M / Male	Collected	: 21/07/2024 11:00
Referred by	: DR ENOMEN	Registered	: 21/07/2024 14:03
Centre	: CITICARE MEDICAL CENTER	Reported	: 21/07/2024 15:42

BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
HS CRP	< 0.23		mg/L	0 - 3	Particle-enhanced immunoturbidimetric assay

INTERPRETATION NOTES :

Measurement of CRP is of use for the detection and evaluation of inflammatory disorders and associated diseases, infection and tissue injury. High sensitive measurement of CRP may also be used as an aid in the assessment of the risk of future coronary heart disease. When used as an adjunct to other laboratory evaluation methods of acute coronary syndromes, it may also be an additional independent indicator of recurrent event prognosis in patients with stable coronary disease or acute coronary syndrome.

*The CDC/AHA recommend the following hsCRP cut-off points (tertiles) for CVD risk assessment.

Age	hsCRP Level (mg/L)	Relative Risk
=or> 16 years	< 1.0	Low
	1.0 - 3.0	Average
	> 3.0	High
Neonates (0 - 3 weeks)	0.1 - 4.1	
Children (2months - 15 years)	0.1 - 2.8	

Reference: Roche Cobas Intera 400 Plus, Kit Insert.

Sample Type : Serum

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist



ELOISA MAY DELMO
Laboratory Technologist

This is an electronically authenticated report

Page 1 of 1

Printed on: 21/07/2024 17:10

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

