




BML442463

Laboratory Investigation Report

Name	: Ms. PRAGATI BHATTARAI	Ref No.	: 42251
DOB	: 30/03/1999	Sample No.	: 2407452271
Age / Gender	: 25 Y 3 M / Female	Collected	: 22/07/2024 19:00
Referred by	: DR HUMAIRA	Registered	: 22/07/2024 21:26
Centre	: CITICARE MEDICAL CENTER	Reported	: 22/07/2024 22:34

BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
URIC ACID (SERUM)	4.7		mg/dL	2.4 - 5.7 Please note change. Source: Roche IFU.	Uricase, UV



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist




JAYADEV C J
Laboratory Technologist
Printed on: 23/07/2024 14:27

This is an electronically authenticated report

Page 1 of 2

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML442463

Laboratory Investigation Report

Name	: Ms. PRAGATI BHATTARAI	Ref No.	: 42251
DOB	: 30/03/1999	Sample No.	: 2407452271
Age / Gender	: 25 Y 3 M / Female	Collected	: 22/07/2024 19:00
Referred by	: DR HUMAIRA	Registered	: 22/07/2024 21:26
Centre	: CITICARE MEDICAL CENTER	Reported	: 22/07/2024 22:34

IMMUNOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
RHEUMATOID FACTOR (QUANTITATIVE)	18	H	IU/mL	< 14.0 Please note change. Source: Roche IFU.	Immunoturbidimetry

Comments : Please correlate clinically

INTERPRETATION NOTES :

Rheumatoid factors (RF) are a heterogeneous group of autoantibodies that are associated with the diagnosis of rheumatoid arthritis (RA), but can also be found in other inflammatory rheumatic and nonrheumatic conditions. This is a presumptive test, confirm with Anti-CCP test if needed. Clinical diagnosis should not be made on the findings of a single test result, but should integrate both clinical and laboratory data.

Sample Type : Serum

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 2 of 2



JAYADEV C J
Laboratory Technologist
Printed on: 23/07/2024 14:27

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

