



Laboratory Investigation Report

Name : Mr. KASUN CHATHURANGA

DOB : 17/03/1998

Age / Gender : 26 Y / Male Referred by : DR ENOMEN

Centre : CITICARE MEDICAL CENTER

Ref No. : 41475

Sample No. : 2407452945

Collected : 23/07/2024 23:00 **Registered** : 24/07/2024 14:09

Reported : 24/07/2024 16:35

BIOCHEMISTRY

Test Result Flag Unit Reference Range Methodology

C-REACTIVE PROTEIN (CRP) 53.4 CH mg/L < 5.0 Immunoturbidimetry

Please note change. Source: Roche IFU.

INTERPRETATION NOTES:

1. CRP measurements are used as aid in diagnosis, monitoring, prognosis, and management of suspected inflammatory disorders and associated diseases, acute infections and tissue injury.

- 2. C-reactive protein is the classic acute phase protein in inflammatory reactions.
- 3. CRP is the most sensitive of the acute phase reactants and its concentration increases rapidly during inflammatory processes. The CRP response frequently precedes clinical symptoms, including fever. After onset of an acute phase response, the serum CRP concentration rises rapidly and extensively. The increase begins within 6 to 12 hours and the peak value is reached within 24 to 48 hours. Levels above 100 mg/L are associated with severe stimuli such as major trauma and severe infection (sepsis).
- 4. CRP response may be less pronounced in patients suffering from liver disease.
- 5. CRP assays are used to detect systemic inflammatory processes (apart from certain types of inflammation such as systemic lupus erythematosus (SLE) and Colitis ulcerosa); to assess treatment of bacterial infections with antibiotics; to detect intrauterine infections with concomitant premature amniorrhexis; to differentiate between active and inactive forms of disease with concurrent infection, e.g. in patients suffering from SLE or Colitis ulcerosa; to therapeutically monitor rheumatic disease and assess anti-inflammatory therapy; to determine the presence of post-operative complications at an early stage, such as infected wounds, thrombosis and pneumonia, and to distinguish between infection and bone marrow transplant rejection.

Sample Type : Serum

End of Report

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist

This is an electronically authenticated report

P.O Box: 49527

Page 1 of 3

Tel: +971 4 398 8567

CAP ACCREDITED

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE



NAZAR MOHAMED ALI Laboratory Technologist

Printed on: 25/07/2024 03:51





Laboratory Investigation Report

Name : Mr. KASUN CHATHURANGA

DOB : 17/03/1998
Age / Gender : 26 Y / Male
Referred by : DR ENOMEN

Centre : CITICARE MEDICAL CENTER

Ref No. : 41475

Sample No. : 2407452945

Collected : 23/07/2024 23:00 **Registered** : 24/07/2024 14:09

Reported : 24/07/2024 17:30

HEMATOLOGY					
Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	14.3		g/dL	13.5 - 17.5	Spectrophotometry (Oxyhemoglobin)
RBC COUNT	5.3		10^6/μL	4.3 - 5.7	Electrical Impedance
HEMATOCRIT	43.4		%	38 - 50	Calculation
MCV	81.3	L	fL	82 - 98	Calculation
мсн	26.8	L	pg	27 - 32	Calculation
мснс	33.0		g/dL	32 - 37	Calculation
RDW	13.5		%	11.8 - 15.6	Calculation
RDW-SD	38.1		fL		Calculation
MPV	8.9		fL	7.6 - 10.8	Calculation
PLATELET COUNT	199		10^3/uL	150 - 450	Electrical Impedance
РСТ	0.1		%	0.01 - 9.99	Calculation
PDW	17.3		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC)^	0.2		/100 WBC		Flow Cytometry
ABSOLUTE NRBC COUNT^	0.02		10^3/uL		Calculation
EARLY GRANULOCYTE COUNT (EGC)^	0.3		%		Flow Cytometry
ABSOLUTE EGC^	0.0		10^3/uL		Calculation
WBC COUNT	9.5		10^3/μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	75		%	40 - 75	Flow Cytometry
LYMPHOCYTES	19	L	%	20 - 45	Flow Cytometry
EOSINOPHILS	1		%	0 - 6	Flow Cytometry
MONOCYTES	5		%	1 - 6	Flow Cytometry
BASOPHILS	0		%	0 - 1	Flow Cytometry
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	7.1		10^3/uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	1.8		10^3/uL	0.8 - 4.95	Calculation
ABSOLUTE MONOCYTE COUNT	0.4		10^3/uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0.1		10^3/uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0.0		10^3/uL	0 - 0.11	Calculation

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist

This is an electronically authenticated report

Page 2 of 3

Thahsina AneesLaboratory Technologist
Printed on: 25/07/2024 03:51

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by ($^{\circ}$). Test marked with # is performed in an accredited referral laboratory.









Laboratory Investigation Report

Name : Mr. KASUN CHATHURANGA

 DOB
 : 17/03/1998

 Age / Gender
 : 26 Y / Male

 Referred by
 : DR ENOMEN

Centre : CITICARE MEDICAL CENTER

Ref No. : 41475

Sample No. : 2407452945

Collected : 23/07/2024 23:00 **Registered** : 24/07/2024 14:09

Reported : 24/07/2024 17:30

HEMATOLOGY

Test Result Flag Unit Reference Range Methodology

COMPLETE BLOOD COUNT (CBC)

INTERPRETATION NOTES: Please note update on CBC report format and changes in reference ranges.

Sample Type: EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes M.D (Pathology) Pathologist

P.O Box: 49527

Dr. Vyoma V Shah M.D (Pathology) Clinical Pathologist

This is an electronically authenticated report

Thahsina Anees
Laboratory Technologist

Printed on: 25/07/2024 03:51

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE



Page 3 of 3

Tel: +971 4 398 8567



reports@biosytech.ae www.biosytech.com