

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : HAMZA MUHAMAD File. No. : AAL02-368822

DOB/Gender

: 02-04-1997 (27 Yrs 3 Month 23 Days/Male)

Referral Doctor : Dr. Enomen Goodluck Ekata

Lab No.

: 22242070147

Referral Clinic : Citicare Medical Center LLC

Request Date : 25-07-2024 14:15:18

Clinic File No : 41745

Insurance

: NATIONAL GENERAL INSURANCE (HEALTHNET)

## IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
H.pylori Abs - IgG	137.1 <sup>H</sup>	UA/mL	Negative: < 8 Doubtfull: 8 - 12	ELISA
			Positive: > 12	

A positive test result confirms the presence of specific antibodies.

A negative result indicates that no clinically relevant antibodies against the pathogen are present in the patient's sample, but does not exclude the possibility of an acute infection.

In case of a borderline result a reliable evaluation is not possible.

A definitive diagnosis can only be achieved by testing paired serum samples, taken at one to two weeks intervals, in parallel.

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 25-07-2024 12:00:00

Authenticated On: 26-07-2024 11:44:54 Released On: 26-07-2024 11:46:43

Received On: 25-07-2024 14:15:00

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

