



BML444508

Laboratory Investigation Report

Name	: Mr. GABE EMMANUELLE MORCILLA	Ref No.	: 43265
DOB	: 22/09/2002	Sample No.	: 2407454342
Age / Gender	: 21 Y / Male	Collected	: 26/07/2024 20:28
Referred by	: DR HUMAIRA	Registered	: 27/07/2024 13:27
Centre	: CITICARE MEDICAL CENTER	Reported	: 27/07/2024 15:12

BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
C-REACTIVE PROTEIN (CRP)	1.8		mg/L	< 5.0 Please note change. Source: Roche IFU.	Immunoturbidimetry

INTERPRETATION NOTES :

- CRP measurements are used as aid in diagnosis, monitoring, prognosis, and management of suspected inflammatory disorders and associated diseases, acute infections and tissue injury.
- C-reactive protein is the classic acute phase protein in inflammatory reactions.
- CRP is the most sensitive of the acute phase reactants and its concentration increases rapidly during inflammatory processes. The CRP response frequently precedes clinical symptoms, including fever. After onset of an acute phase response, the serum CRP concentration rises rapidly and extensively. The increase begins within 6 to 12 hours and the peak value is reached within 24 to 48 hours. Levels above 100 mg/L are associated with severe stimuli such as major trauma and severe infection (sepsis).
- CRP response may be less pronounced in patients suffering from liver disease.
- CRP assays are used to detect systemic inflammatory processes (apart from certain types of inflammation such as systemic lupus erythematosus (SLE) and Colitis ulcerosa); to assess treatment of bacterial infections with antibiotics; to detect intrauterine infections with concomitant premature amniorrhexis; to differentiate between active and inactive forms of disease with concurrent infection, e.g. in patients suffering from SLE or Colitis ulcerosa; to therapeutically monitor rheumatic disease and assess anti-inflammatory therapy; to determine the presence of post-operative complications at an early stage, such as infected wounds, thrombosis and pneumonia, and to distinguish between infection and bone marrow transplant rejection.

Sample Type : Serum

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report


Page 1 of 4



ANJUMOL D V
Laboratory Technologist
Printed on: 27/07/2024 15:14

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML444508

Laboratory Investigation Report

Name : Mr. GABE EMMANUELLE MORCILLA
DOB : 22/09/2002
Age / Gender : 21 Y / Male
Referred by : DR HUMAIRA
Centre : CITICARE MEDICAL CENTER

Ref No. : 43265
Sample No. : 2407454342
Collected : 26/07/2024 20:28
Registered : 27/07/2024 13:27
Reported : 27/07/2024 14:26

HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	15.3		g/dL	13.5 - 17.5	Spectrophotometry (Oxyhemoglobin)
RBC COUNT	5.5		10 ⁶ /μL	4.3 - 5.7	Electrical Impedance
HEMATOCRIT	46.4		%	38 - 50	Calculation
MCV	84		fL	82 - 98	Calculation
MCH	27.6		pg	27 - 32	Calculation
MCHC	32.8		g/dL	32 - 37	Calculation
RDW	13.4		%	11.8 - 15.6	Calculation
RDW-SD	39.4		fL		Calculation
MPV	8.9		fL	7.6 - 10.8	Calculation
PLATELET COUNT	227		10 ³ /uL	150 - 450	Electrical Impedance
PCT	0.2		%	0.01 - 9.99	Calculation
PDW	16.5		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC) [^]	0.1		/100 WBC		Flow Cytometry
ABSOLUTE NRBC COUNT [^]	0		10 ³ /uL		Calculation
EARLY GRANULOCYTE COUNT (EGC) [^]	0.2		%		Flow Cytometry
ABSOLUTE EGC [^]	0.0		10 ³ /uL		Calculation
WBC COUNT	7.0		10 ³ /μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	57		%	40 - 75	Flow Cytometry
LYMPHOCYTES	30		%	20 - 45	Flow Cytometry
EOSINOPHILS	8	H	%	0 - 6	Flow Cytometry
MONOCYTES	5		%	1 - 6	Flow Cytometry
BASOPHILS	0		%	0 - 1	Flow Cytometry
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	3.9		10 ³ /uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	2.1		10 ³ /uL	0.8 - 4.95	Calculation
ABSOLUTE MONOCYTE COUNT	0.3		10 ³ /uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0.5		10 ³ /uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0.0		10 ³ /uL	0 - 0.11	Calculation

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist



Thahsina Anees
Laboratory Technologist

This is an electronically authenticated report

Page 2 of 4

Printed on: 27/07/2024 15:14

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





Laboratory Investigation Report

Name	: Mr. GABE EMMANUELLE MORCILLA	Ref No.	: 43265
DOB	: 22/09/2002	Sample No.	: 2407454342
Age / Gender	: 21 Y / Male	Collected	: 26/07/2024 20:28
Referred by	: DR HUMAIRA	Registered	: 27/07/2024 13:27
Centre	: CITICARE MEDICAL CENTER	Reported	: 27/07/2024 14:26


HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
------	--------	------	------	-----------------	-------------

COMPLETE BLOOD COUNT (CBC)

Comments : Please correlate clinically.

INTERPRETATION NOTES : Please note update on CBC report format and changes in reference ranges.



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

Thahsina Anees

Thahsina Anees
Laboratory Technologist

This is an electronically authenticated report

Page 3 of 4

Printed on: 27/07/2024 15:14

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML444508

Laboratory Investigation Report

Name	: Mr. GABE EMMANUELLE MORCILLA	Ref No.	: 43265
DOB	: 22/09/2002	Sample No.	: 2407454342
Age / Gender	: 21 Y / Male	Collected	: 26/07/2024 20:28
Referred by	: DR HUMAIRA	Registered	: 27/07/2024 13:27
Centre	: CITICARE MEDICAL CENTER	Reported	: 27/07/2024 14:37

HAEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
ERYTHROCYTE SEDIMENTATION RATE (ESR)	12		mm/hr	< 15 Please note change in reference range and method.	Automated

INTERPRETATION NOTES :

Increased ESR is seen in inflammation, pregnancy, anemia, autoimmune disorders (such as rheumatoid arthritis and lupus), infections, some kidney diseases and some cancers (such as lymphoma and multiple myeloma).

The ESR is decreased in polycythemia, hyperviscosity, sickle cell anemia, leukemia, low plasma protein (due to liver or kidney disease), congestive heart failure, hypofibrinogenemia and leukocytosis.

Sample Type : EDTA Whole Blood

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 4 of 4

Thahsina Anees

Thahsina Anees
Laboratory Technologist

Printed on: 27/07/2024 15:14

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

