



BML447363

Laboratory Investigation Report

Name	: Ms. HAYAT ABUBEKER	Ref No.	: 43698
DOB	: 27/09/1998	Sample No.	: 2408457339
Age / Gender	: 25 Y / Female	Collected	: 02/08/2024 15:40
Referred by	: DR HUMAIRA	Registered	: 02/08/2024 21:50
Centre	: CITICARE MEDICAL CENTER	Reported	: 02/08/2024 22:51

ENDOCRINOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
THYROID FUNCTION TEST (T3,T4,TSH)					
TRIIODOTHYRONINE, TOTAL (T3)	1.59		nmol/L	1.20 – 2.92	ECLIA
Reference Range for Pregnant: First Trimester: 1.61 – 3.53 Second Trimester: 1.98 – 4.03 Third Trimester: 2.08 – 4.02					
THYROXINE, TOTAL (T4)	104		nmol/L	71.5 – 166.0	ECLIA
Please note change. Source: Roche IFU. Reference Range for Pregnant: First Trimester: 94.4 - 191 Second Trimester: 102 - 208 Third Trimester: 89.5 - 202					
THYROID STIMULATING HORMONE (TSH)	0.405		uIU/mL	0.27 - 4.2	ECLIA
Please note change. Source: Roche IFU. Reference Range for Pregnant: First Trimester: 0.24 – 2.99 Second Trimester: 0.46 – 2.95 Third Trimester: 0.43 – 2.78					

Sample Type : Serum

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 1 of 1


MOHAMMED RASHID CHENANGADATH
Laboratory Technologist
Printed on: 02/08/2024 22:53

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

