

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ما المام Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : RACHELLE MAROUN BASSILI

DOB/Gender : 30-10-1990 (33 Yrs 10 Month 17

Days/Female)

Lab No. : **22242340194**

Request Date : 21-08-2024 17:23

Insurance : GIG GULF (AXA INSURANCE)

File. No. : AAL02-406318

Referral Doctor : Dr. Enomen Goodluck Ekata

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 43615

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	4.17	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On : 12-08-2024 19:00:00 Authenticated On : 21-08-2024 20:41:27

Printed On: 21-08-2024 23:21:55

Received On: 21-08-2024 17:23:00 Released On: 21-08-2024 20:58:28

Reprinted On: 22-08-2024 01:10:27

Am-

Esmeralda Obenita

Lab Incharge DHA-P-2992011

