

Lab No.

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ Dubai Accreditation Department for ISO 15189 المارة دبن للإعتماد طبقا لمواصفات الأيزو

LABORATORY REPORT

File. No.

Referral Clinic

Name : JERRYLOU SUGILON CAS CASTRO

: 16-04-1990 (34 Yrs 3 Month 30 Days/Female) Referral Doctor

DOB/Gender

Request Date : 15-08-2024 14:33:51 Clinic File No : 43828

: NAS ADMINISTRATION SERVICES LTD Insurance

: 22242280136

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name Result Units Ref. Range Method HIV I & II Abs + p24 Ag 0.25 Non Reactive: <1.0 **ECLIA** Cutoff Index (COI)

> Reactive: >=1.0 Non-Reactive

: DML02-279835

: Dr. Mohammed M Hamed Hashish

: Citicare Medical Center LLC

Non-Reactive **HIV Interpretation**

Kindly note above test is just a screening test.

Note: Patients at a very early stage of infection may still be non-reactive for HIV Abs or detect p24 antigen. If HIV is suspected, a control sample is recommended in 4-6 weeks.

Samples should not be taken from patients receiving therapy with high biotin doses (i.e. > 5 mg/day) until at least 8 hours following the last biotin administration.

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 15-08-2024 12:10:00

Authenticated On: 15-08-2024 15:47:52

Received On: 15-08-2024 14:34:00 Released On: 15-08-2024 16:24:15

Laboratory Technician DHA-P-0039673



Wasik Hasan Tisekar