

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : EDRINE MIRO File. No.

: AAL02-410167

DOB/Gender

: 07-10-2000 (23 Yrs 10 Month 9 Days/Male)

Referral Doctor : Dr. Humaira Mumtaz

Lab No.

: 22242290001

Referral Clinic

Request Date : 16-08-2024 09:09

Clinic File No

: Citicare Medical Center LLC : 42105

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

CLINICAL BIOCHEMISTRY

Test Name Result Units Ref. Range Method

C-Reactive Protein (CRP) Negative < or = to 5.0 < 0.60 mg/L

Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

--- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 15-08-2024 20:00:00 Authenticated On: 16-08-2024 12:04:21

Printed On: 16-08-2024 17:31:40

Received On: 16-08-2024 09:13:00 Released On: 16-08-2024 12:20:17

Reprinted On: 17-08-2024 06:47:09

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

