

LABORATORY REPORT

Name	: KASHIF NAZIR NAZIR AHMAD	File. No.	: AAL02-410682
DOB/Gender	: 10-06-1976 (48 Yrs 2 Month 9 Days/Male)	Referral Doctor	: Dr. Humaira Mumtaz
Lab No.	: 22242320290	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 19-08-2024 19:36:30	Clinic File No	: 43870
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Troponin T (Quantitative)	0.0048	ng/mL	< 0.014 : Healthy Individuals Risk Stratification in Asymptomatic Individuals <0.005 : Low Risk >=0.005 to <=0.010 : Moderate >0.010 : High	ECLIA

Conversion Formula: (Concentration in pg/mL) x (0.001) = ng/mL. Values should be correlated with the clinical findings and ECG picture along with CKMB

(Mass) and Myoglobin levels, before ruling out AMI. A sequential follow-up of Troponin T levels is recommended 1 hours post onset of symptoms / post

admission for suspected AMI cases. Diagnostic criteria for AMI is defined as > 0.014 ng/ml. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 19-08-2024 18:00:00
Authenticated On : 19-08-2024 20:29:59

Received On : 19-08-2024 19:37:00
Released On : 19-08-2024 20:30:09



Esmeralda Obenita
Lab Incharge
DHA-P-2992011

LABORATORY REPORT

Name	: KASHIF NAZIR NAZIR AHMAD	File. No.	: AAL02-410682
DOB/Gender	: 10-06-1976 (48 Yrs 2 Month 9 Days/Male)	Referral Doctor	: Dr. Humaira Mumtaz
Lab No.	: 22242320290	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 19-08-2024 19:36:30	Clinic File No	: 43870
Insurance	: No		

KIDNEY FUNCTION TEST CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Urea	29.80	mg/dL	12.86 - 42.64	Urease/GLDH
Please note Reference Range Reviewed w.ef 15/10/23				
Creatinine (serum)	1.06	mg/dL	0.70-1.20	Jaffe-Alkaline Picrate
Please note Reference Range Reviewed w.ef 15/10/23				
Uric Acid	8.58 ^H	mg/dL	3.40-7.00	Uricase
Please note Reference Range Reviewed w.ef 15/10/23				
Calcium	9.70	mg/dL	8.6 - 10.3	NM-BAPTA
Please note Reference Range Reviewed w.ef 15/10/23				
Phosphorous	2.90	mg/dL	2.5-4.5	Molybdate UV
Please note Reference Range Reviewed w.ef 15/10/23				
Protein - Total	7.57	g/dL	6.40 - 8.30	Colorimetric - Biuret
Please note Reference Range Reviewed w.ef 15/10/23.				
Albumin	4.46	g/dL	3.97 - 4.94	Colorimetric - BCG
Please note Reference Range Reviewed w.ef 15/10/23				
*Globulin (serum)	3.11	g/dL	2.50 - 3.50	Calculation
Sodium	140.10	mmol/L	136 - 145	ISE Indirect
Please note Reference Range Reviewed w.ef 15/10/2023.				
Potassium (serum)	5.13	mmol/L	3.5 - 5.5	ISE Indirect
Please note Reference Range Reviewed w.ef 15/10/2023.				
Chloride (serum)	101.90	mmol/L	98 - 107	ISE Indirect

Please note Reference Range Reviewed w.ef 15/10/2023.

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 19-08-2024 18:00:00
Authenticated On : 19-08-2024 20:29:59

Received On : 19-08-2024 19:37:00
Released On : 19-08-2024 20:30:09



Esmeralda Obenita
Lab Incharge
DHA-P-2992011

LABORATORY REPORT

Name	: KASHIF NAZIR NAZIR AHMAD	File. No.	: AAL02-410682
DOB/Gender	: 10-06-1976 (48 Yrs 2 Month 9 Days/Male)	Referral Doctor	: Dr. Humaira Mumtaz
Lab No.	: 22242320290	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 19-08-2024 19:36:30	Clinic File No	: 43870
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 19-08-2024 18:00:00
Authenticated On : 19-08-2024 20:29:59

Received On : 19-08-2024 19:37:00
Released On : 19-08-2024 20:30:09



Esmeralda Obenita
Lab Incharge
DHA-P-2992011