

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : MIRZA MAAZ ALI BAIG

DOB/Gender : 25-06-1991 (33 Yrs 1 Month 29 Days/Male)

Lab No. : 22242360001

Request Date : 23-08-2024 08:30

Insurance : NEXTCARE File. No. : AAL02-411109

Referral Doctor : Dr. Humaira Mumtaz

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 43891

## **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	5.83 <sup>H</sup>	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assav

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 22-08-2024 11:20:00 Authenticated On: 23-08-2024 12:22:53

Printed On: 23-08-2024 17:22:01

Received On: 23-08-2024 08:33:00

Released On: 23-08-2024 12:29:47

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

