



43915

Laboratory Investigation Report

Name : Ms. JAYA RATAN KAMBLE

: 12/05/1984

Age / Gender : 40 Y / Female Referred by : DR AHSAN

DOB

Centre : CITICARE MEDICAL CENTER

Ref No.

Sample No. : 2408467163

Collected : 24/08/2024 11:08

Registered : 24/08/2024 21:55

Reported : 24/08/2024 22:53

BIOCHEMISTRY

Test Result Flag Unit Reference Range Methodology

C-REACTIVE PROTEIN (CRP) 7.7 H mg/L < 5.0

Please note change.

Source: Roche IFU.

Particle-enhanced immunoturbidimetric assay

Comments: Please correlate clinically.

INTERPRETATION NOTES:

- 1. CRP measurements are used as aid in diagnosis, monitoring, prognosis, and management of suspected inflammatory disorders and associated diseases, acute infections and tissue injury.
- 2. C-reactive protein is the classic acute phase protein in inflammatory reactions.
- 3. CRP is the most sensitive of the acute phase reactants and its concentration increases rapidly during inflammatory processes. The CRP response frequently precedes clinical symptoms, including fever. After onset of an acute phase response, the serum CRP concentration rises rapidly and extensively. The increase begins within 6 to 12 hours and the peak value is reached within 24 to 48 hours. Levels above 100 mg/L are associated with severe stimuli such as major trauma and severe infection (sepsis).
- 4. CRP response may be less pronounced in patients suffering from liver disease.
- 5. CRP assays are used to detect systemic inflammatory processes (apart from certain types of inflammation such as systemic lupus erythematosus (SLE) and Colitis ulcerosa); to assess treatment of bacterial infections with antibiotics; to detect intrauterine infections with concomitant premature amniorrhexis; to differentiate between active and inactive forms of disease with concurrent infection, e.g. in patients suffering from SLE or Colitis ulcerosa; to therapeutically monitor rheumatic disease and assess anti-inflammatory therapy; to determine the presence of post-operative complications at an early stage, such as infected wounds, thrombosis and pneumonia, and to distinguish between infection and bone marrow transplant rejection.

Sample Type : Serum

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

This is an electronically authenticated report

P.O Box: 49527

Dr. Vyoma V Shah M.D (Pathology) Clinical Pathologist

Page 1 of 3

Tel: +971 4 398 8567

D hadaag

Pradeep Dhamotharan Laboratory Technologist Printed on: 24/08/2024 23:34

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE









Laboratory Investigation Report

Name : Ms. JAYA RATAN KAMBLE Ref No. : 43915

DOB 12/05/1984 Sample No. 2408467163 Age / Gender 40 Y / Female **Collected** 24/08/2024 11:08 Referred by DR AHSAN Registered 24/08/2024 21:55 24/08/2024 23:32 Centre CITICARE MEDICAL CENTER Reported

HEMATOLOGY					
Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	11.8	L	g/dL	12 - 15.5	Photometric
RBC COUNT	4.0		10^6/μL	3.9 - 5	Electrical Impedance
HEMATOCRIT	34.4	L	%	35 - 45	Calculation
MCV	86.8		fL	82 - 98	Calculation
мсн	29.7		pg	27 - 32	Calculation
мснс	34.2		g/dL	32 - 37	Calculation
RDW	13.3		%	11.9 - 15.5	Calculation
RDW-SD	40.7		fL		Calculation
MPV	7.2	L	fL	7.6 - 10.8	Calculation
PLATELET COUNT	201		10^3/uL	150 - 450	Electrical Impedance
РСТ	0.1		%	0.01 - 9.99	Calculation
PDW	15.8		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC)^	0.1		/100 WBC		VCS 360 Technology
ABSOLUTE NRBC COUNTA	0.01		10^3/uL		Calculation
EARLY GRANULOCYTE COUNT (EGC)^	0.7		%		VCS 360 Technology
ABSOLUTE EGC^	0		10^3/uL		Calculation
WBC COUNT	6.9		10^3/μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	82	н	%	40 - 75	VCS 360 Technology
LYMPHOCYTES	13	L	%	30 - 60	VCS 360 Technology
EOSINOPHILS	1		%	0 - 6	VCS 360 Technology
MONOCYTES	4		%	1 - 6	VCS 360 Technology
BASOPHILS	0		%	0 - 1	VCS 360 Technology
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	5.6		10^3/uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	0.8	L	10^3/uL	1.2 - 6.6	Calculation
ABSOLUTE MONOCYTE COUNT	0.3		10^3/uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0.0		10^3/uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0.0		10^3/uL	0 - 0.11	Calculation

Comments : Please correlate clinically

Dr. Adley Mark Fernandes

M.D (Pathology)

Pathologist

Dr. Vyoma V Shah M.D (Pathology)

Clinical Pathologist

This is an electronically authenticated report

Page 2 of 3

Thahsina AneesLaboratory Technologist
Printed on: 24/08/2024 23:34

Usab sina

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





43915

Ref No.

Laboratory Investigation Report

Name : Ms. JAYA RATAN KAMBLE

 DOB
 : 12/05/1984
 Sample No.
 : 24/08/2024 11:08

 Age / Gender
 : 40 Y / Female
 Collected
 : 24/08/2024 11:08

 Referred by
 : DR AHSAN
 Registered
 : 24/08/2024 21:55

Centre : CITICARE MEDICAL CENTER Reported : 24/08/2024 23:32

HEMATOLOGY

Test Result Flag Unit Reference Range Methodology

COMPLETE BLOOD COUNT (CBC)

INTERPRETATION NOTES: Please note update on CBC report format, reference ranges and method(Beckman Coulter).

Sample Type: EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes M.D (Pathology) Pathologist Dr. Vyoma V Shah M.D (Pathology) Clinical Pathologist

This is an electronically authenticated report

URab sina

Thahsina Anees Laboratory Technologist Printed on: 24/08/2024 23:34

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





Page 3 of 3