

DOB/Gender

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ما المام Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : IBTISSEM BEN SALAH

: 15-03-1992 (32 Yrs 5 Month 6 Days/Female)

Lab No. : **22242410005**

Request Date : 28-08-2024 09:59

Insurance : **NEXTCARE**

File. No. : **DML02-241212**

Referral Doctor : Dr. Humaira Mumtaz

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 43946

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	3.68	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On : 27-08-2024 15:20:00 Authenticated On : 28-08-2024 13:30:18

Printed On: 28-08-2024 22:15:05

Received On: 28-08-2024 10:01:00 Released On: 28-08-2024 13:50:41

Reprinted On: 29-08-2024 01:00:54

Mas

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

