

DOB/Gender

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



ECLIA

إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ Dubai Accreditation Department for ISO 15189 المارة دبى للإعتماد طبقا لمواصفات الأيزو

LABORATORY REPORT

Name : AIDARBEK YRYSBEKOV

: 17-04-1993 (31 Yrs 4 Month 14 Days/Male)

Lab No. : 22242440029

Request Date : 31-08-2024 11:17:23

Insurance : GIG GULF (AXA INSURANCE) File. No. : AAL02-412431

Referral Doctor : Dr. Humaira Mumtaz

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 33204

HORMONES/ENDOCRINE/TUMOR MARKERS

Test Name	Result	Units	Ref. Range	Method
Estradiol (E2) (17 Beta Estradiol)	26.10	pg/mL	11.3 - 43.2	ECLIA

Conversion Formula: (Concentration in pg/mL) x (3.67) = pmol/L Samples should not be taken from patients receiving therapy with high biotin doses (i.e. > 5 mg/day) until at least 8 hours following the last biotin administration. Please note Reference Range Reviewed w.ef 15/10/23.

Testosterone - Total ng/mL 2.49 - 8.36

Conversion Formula: (Concentration in ng/mL) x (3.47) = nmol/L. In men, testosterone is synthesized almost exclusively by the Leydig cells of the testes. In women, small quantities of testosterone are formed in the ovaries, adrenal gland, and peripheral fatty tissues, and it has a serum concentration that is approximately 10 times less than in males. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. > 5 mg/day) until at least 8 hours following the last biotin administration. Please note Reference Range Reviewed w.ef 15/10/23.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 30-08-2024 13:00:00

Authenticated On: 31-08-2024 13:36:15

Released On: 31-08-2024 13:37:07

Received On: 31-08-2024 11:17:00

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

