

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبي للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ١٥١٨٩ Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : **JOYCE MUKASA**

DOB/Gender : 05-11-1995 (28 Yrs 10 Month 29

Days/Female)

Lab No. : **22242460027**

Request Date : 02-09-2024 11:00:56

Insurance : NEXTCARE

File. No. : **AAL02-398950**

Referral Doctor : Dr. Humaira Mumtaz

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 43319

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	47.90 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On: 01-09-2024 12:00:00

Authenticated On: 02-09-2024 14:00:47 Released On: 02-09-2024 Released Rele

Received On: 02-09-2024 11:02:00 Released On: 02-09-2024 14:03:17 Magi

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

