



BML460542

Laboratory Investigation Report

Name : Ms. ELONA BABAMUSTA
DOB : 28/11/1972
Age / Gender : 51 Y / Female
Referred by : CITICARE MEDICAL CENTER
Centre : CITICARE MEDICAL CENTER

Ref No. : 41549
Sample No. : 2409470825
Collected : 02/09/2024 11:10
Registered : 02/09/2024 15:16
Reported : 02/09/2024 20:23

ENDOCRINOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
THYROID FUNCTION TEST (FT3+FT4+TSH)					
TRIIODOTHYRONINE, FREE (FT3)	6.5		pmol/L	3.71 – 6.70	ECLIA
Reference Range for Pregnant: First Trimester: 3.78 – 5.97 Second Trimester: 3.21 – 5.45 Third Trimester: 3.09 – 5.03 Please note change in method and reference range. Source: Roche IFU.					
THYROXINE, FREE (FT4)	16.8		pmol/L	12.3 – 20.2	ECLIA
Reference Range for Pregnant: First Trimester: 12.1 – 19.6 Second Trimester: 9.63 – 17.0 Third Trimester: 8.39 – 15.6 Please note change in method and reference range. Source: Roche IFU.					
THYROID STIMULATING HORMONE (TSH)	<0.114	L	uIU/mL	0.27 - 4.2	ECLIA
Reference Range for Pregnant: First Trimester: 0.24 – 2.99 Second Trimester: 0.46 – 2.95 Third Trimester: 0.43 – 2.78					

Comments : Please correlate clinically

Sample Type : Serum

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist


Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist



JAYADEV C J
Laboratory Technologist

This is an electronically authenticated report

Page 1 of 1

Printed on: 02/09/2024 20:25

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

