

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ما Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : **JESSIE PRETORIUS**

File. No.

: AAL02-413095

DOB/Gender

: 20-01-1989 (35 Yrs 7 Month 26 Days/Female) Referral Doctor

: Dr. Humaira Mumtaz

Lab No.

: 22242480002

Referral Clinic

: Citicare Medical Center LLC

Request Date : 04-09-2024 10:01:33

Neierrai Oliriic

ilicale Medical Celiler LLC

Insurance : NEXTCARE

Clinic File No : 44008

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	8.19 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On: 03-09-2024 14:40:00

Authenticated On: 04-09-2024 12:32:07 Release

Received On: 04-09-2024 10:02:00 Released On: 04-09-2024 12:44:38 Wasik Hasan Tisekar Laboratory Technician

DHA-P-0039673

Ciacing Ciacing Control Contro