

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : NIHAD AHMED SHAIKH NISAR AHMED File. No. : AAL02-392306 DOB/Gender : 25-10-1999 (24 Yrs 10 Month 22 Days/Male) Referral Doctor : Dr. Ahsan Hussain

Lab No. : 22242500030 Referral Clinic : Citicare Medical Center LLC

Request Date : 06-09-2024 10:44:21 Clinic File No : 40355

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	<0.60	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 05-09-2024 12:00:00 Received On: 06-09-2024 10:45:00 Authenticated On: 06-09-2024 12:22:50

Released On: 06-09-2024 12:41:58

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

