

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : VINEETH MATHEW

KADUPPILKIZHAKKETHIL JOSEPH

DOB/Gender : 01-09-1987 (37 Yrs 26 Days/Male)

Lab No. : 22242540002

Request Date : 10-09-2024 09:06:13

: NAS ADMINISTRATION SERVICES LTD Insurance

File. No. : AAL02-414009

Referral Doctor : Dr. Humaira Mumtaz

: Citicare Medical Center LLC

Clinic File No : 38492

Referral Clinic

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	2.64	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 08-09-2024 17:50:00 Received On: 10-09-2024 09:06:00

Authenticated On: 10-09-2024 12:23:41 Released On: 10-09-2024 12:43:28

Kumareshan Sr. Technician DHA-P-2992011

Padmapriya

