

LABORATORY REPORT

Name	: ROMY NUNEZ	File. No.	: DML01-13853
DOB/Gender	: 10-08-1987 (37 Yrs 1 Month 14 Days/Male)	Referral Doctor	: Dr. Ahsan Hussain
Lab No.	: 22242550175	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 11-09-2024 13:55:15	Clinic File No	: 42504
Insurance	: GIG GULF (AXA INSURANCE)		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Uric Acid	6.65	mg/dL	3.40-7.00	Uricase

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 11-09-2024 01:43:00
Authenticated On : 11-09-2024 14:57:57

Received On : 11-09-2024 13:56:00
Released On : 11-09-2024 15:22:11



Padmapriya Kumaresan
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: ROMY NUNEZ	File. No.	: DML01-13853
DOB/Gender	: 10-08-1987 (37 Yrs 1 Month 14 Days/Male)	Referral Doctor	: Dr. Ahsan Hussain
Lab No.	: 22242550175	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 11-09-2024 13:55:15	Clinic File No	: 42504
Insurance	: GIG GULF (AXA INSURANCE)		

**LIPID PROFILE I
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Cholesterol	168.00	mg/dL	Desirable: < 200 Borderline: 200 - 239 High: ≥ 240	Enzymatic-Cholesterol esterase
Please note Reference Range Reviewed w.ef 15/10/23				
Triglycerides	91.40	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: ≥ 500	Enzymatic GPO
Please note Reference Range Reviewed w.ef 15/10/23				
HDL Cholesterol	53.50	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Reviewed w.ef 15/10/23				
LDL Cholesterol	98.40	mg/dL	Optimal: < 100 Near or above optimal: 100-129 Borderline High: 130 - 159 High: 160-189 Very High: ≥ 190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Reviewed w.ef 15/10/23				
*VLDL	16.10	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	3.14	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: ≥ 6	Calculation

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only to the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 11-09-2024 01:43:00
Authenticated On : 11-09-2024 14:57:57

Received On : 11-09-2024 13:56:00
Released On : 11-09-2024 15:22:11

Pring

Padmapriya Kumaresan
Sr. Technician
DHA-P-2992011