

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : WARUNA WARAHENA

: 01-01-1988 (36 Yrs 8 Month 25 Days/Male)

Lab No. : 22242550263

Request Date : 11-09-2024 17:33:42

Insurance : NEURON

DOB/Gender

: AAL02-414385 File. No.

Referral Doctor : Dr. Ahsan Hussain

: Citicare Medical Center LLC Referral Clinic

Clinic File No : 44117

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Glucose(RBS)	75.70	mg/dL	Fasting: 70 - 100 1 hr post eating: 70 - 187 2 hrs post eating: 70 - 134	HK/G-6-PDH

Please note Reference Range Reviewed w.ef 15/10/23

Remarks:

Glucose test done in serum sample as per client request, recommended to repeat with fluoride sample for confirmation.

Sample Type: Fluoride Plasma

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 11-09-2024 02:12:00 Received On: 11-09-2024 18:00:00

Authenticated On: 11-09-2024 18:42:10

Released On: 11-09-2024 18:42:20

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

