

LABORATORY REPORT

Name	: GEO CLINT VENNADAN	File. No.	: AAL02-414378
DOB/Gender	: 05-10-1993 (30 Yrs 11 Month 6 Days/Male)	Referral Doctor	: Dr. Ahsan Hussain
Lab No.	: 22242550177	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 11-09-2024 13:59:38	Clinic File No	: 44119
Insurance	: NEXTCARE		

MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS

Test Name	Result	Units	Ref. Range	Method
<u>URINE ROUTINE (URINALYSIS)</u>				
<u>PHYSICAL EXAMINATION</u>				
Color	Yellow		Yellow	Light Scatter
Appearance	Turbid		Clear	Light Scatter
Specific Gravity	1.032 ^H		1.005 - 1.030	Refractrometry
PH	5.00		4.6 - 8.0	Litmus reaction
Glucose	Negative		Negative	Enz.Rn/Reflect
Ketone	Trace		Negative	Legal's method
Protein	Trace		Negative	Dye Binding
Blood	Negative		Negative	Peroxidase Activity/Reflectance
Bilirubin	Negative		Negative	Acidified Diazo Coupling
Urobilinogen	2.0 ^H	mg/dL	Normal 0.2 - 1.0	Buffered Diazo Coupling
Nitrite	Negative		Negative	Mod. Gries Rn
Leukocytes.	Negative		Negative	Enz.Rn/Reflect
<u>MICROSCOPIC EXAMINATION</u>				
Pus Cells	0 - 1	/HPF	1 - 4	F.D.I/Microscopy
RBC's	0 - 1	/HPF	0 - 2	F.D.I/Microscopy
Epithelial cells	0 - 1	/HPF	1 - 4	F.D.I/Microscopy
Bacteria	Absent	/HPF	Absent	F.D.I/Microscopy
Yeast cells	Absent	/HPF	Absent	F.D.I/Microscopy
Trichomonas Vaginalis	Absent	/HPF	Absent	F.D.I/Microscopy
Mucus Threads	++	/HPF	Absent	F.D.I/Microscopy
Crystals	Absent	/HPF	Absent	F.D.I/Microscopy
Casts	Absent	/LPF	Absent	F.D.I/Microscopy

Bilirubin and Urobilinogen when exposed to sunlight leads to artificially low results, hence recommended to collect urine in dark container for analyzing Urine
Bilirubin and Urobilinogen if clinically indicated.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 11-09-2024 02:05:00
Authenticated On : 11-09-2024 15:31:19

Received On : 11-09-2024 14:05:00
Released On : 11-09-2024 16:10:42

Pring

Padmapriya Kumareshan
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: GEO CLINT VENNADAN	File. No.	: AAL02-414378
DOB/Gender	: 05-10-1993 (30 Yrs 11 Month 6 Days/Male)	Referral Doctor	: Dr. Ahsan Hussain
Lab No.	: 22242550177	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 11-09-2024 13:59:38	Clinic File No	: 44119
Insurance	: NEXTCARE		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Kindly note that there are chances of false negative result for *Trichomonas vaginalis*, as *Trichomonas vaginalis* viability is temperature and time sensitive.

Kindly note the new methodology is effective from 31-10-2022.

Remarks:

Test was rechecked. Recommended to repeat test with new sample for urobilinogen confirmation.

Sample Type : Urine

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 11-09-2024 02:05:00
Authenticated On : 11-09-2024 15:31:19

Received On : 11-09-2024 14:05:00
Released On : 11-09-2024 16:10:42



Padmapriya Kumaresan
Sr. Technician
DHA-P-2992011