

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : LORNA HERNANDEZ

DOB/Gender : 20-10-1983 (40 Yrs 10 Month 23

Days/Female)

Lab No. : 22242560184

Request Date : 12-09-2024 14:41:32

: NEXTCARE Insurance

File. No. : AAL02-414559

: Dr. Ahsan Hussain Referral Doctor

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 44130

LIPID PROFILE I

	MIC A	RIC	CHE	MICT	<b>TDV</b>
GLI	NICA	டபெட	ルロロ	VII O	ואו

CLINICAL BIOCHEMISTRY							
Test Name	Result	Units	Ref. Range	Method			
Cholesterol	249.00 <sup>H</sup>	mg/dL	Desirable: < 200 Borderline:200 -239 High: >or =240	Enzymatic- Cholesterol esterase			
Please note Reference Range Revie	ewed w.ef 15/10/23						
Triglycerides	197.00 <sup>H</sup>	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: >or =500	Enzymatic GPO			
Please note Reference Range Revie	ewed w.ef 15/10/23						
HDL Cholesterol	49.40	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD			
Please note Reference Range Revie	ewed w.ef 15/10/23						
LDL Cholesterol	165.00 <sup>H</sup>	mg/dL	Optimal: < 100 Near or above optimal:100-129 Borderline High: 130 - 159 High: 160 - 189 Very High: >or=190	Homo. Enz, Liq. Selective Surfactant			
Please note Reference Range Revie	ewed w.ef 15/10/23						
*VLDL	34.60 <sup>H</sup>	mg/dL	5.0 - 30.0	Calculation			
*Cholesterol / HDL	5.04 <sup>H</sup>	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: >6	Calculation			

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 12-09-2024 01:43:00

Authenticated On: 12-09-2024 15:24:07 Released On: 12-09-2024 16:37:46

Received On: 12-09-2024 14:44:00

**Padmapriya** Kumareshan Sr. Technician

DHA-P-2992011

