

## Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ما المام Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name: WASANTHI PRIYANGA

DOB/Gender : 27-09-1970 (53 Yrs 11 Month 18

Days/Female)

Lab No. : **22242580161** 

Request Date : 14-09-2024 14:38:41

Insurance : NEXTCARE

File. No. : **AAL02-414898** 

Referral Doctor : Dr. Enomen Goodluck Ekata

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 42149

## **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	1.89	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (\*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Solmaz Siddiqui** Laboratory Director DHA/LS/248469 Patient Sample Collected On: 14-09-2024 11:00:00 Ro

Authenticated On: 14-09-2024 19:26:25 Released On: 14-09-2024 19:29:51

Received On: 14-09-2024 15:23:00 **E** 

agui-

Esmeralda Obenita Lab Incharge DHA-P-2992011

