

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : SHANKAR KANWAR File. No. : AAL02-415092

DOB/Gender

: 05-02-2000 (24 Yrs 7 Month 10 Days/Male)

: Dr. Humaira Mumtaz

Lab No.

: 22242590185

Referral Doctor

Referral Clinic

: Citicare Medical Center LLC

Request Date : 15-09-2024 14:53:00

Clinic File No

Insurance

: NATIONAL GENERAL INSURANCE (HEALTHNET)

: 44170

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	31.30 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

Patient Sample Collected On: 15-09-2024 11:30:00

Authenticated On: 15-09-2024 17:54:25

Received On: 15-09-2024 15:03:00 Released On: 15-09-2024 17:58:23

Rhea Suberon Medical Laboratory Technician DHA-P-0123639

