

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ Dubai Accreditation Department for ISO 15189 المارة دبن للإعتماد طبقا لمواصفات الأيزو

LABORATORY REPORT

Name : ADNAN SAQIB MUHAMMAD ABDUL QADIR File. No.

: AAL02-415014

: 22242580402

DOB/Gender : 12-04-1979 (45 Yrs 5 Month 2 Days/Male)

Referral Doctor : Dr. Ahsan Hussain

: Citicare Medical Center LLC Referral Clinic

Request Date : 14-09-2024 22:27:26 Clinic File No

Insurance : ALMADALLAH HEALTHCARE MANAGEMENT

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
H.pylori Abs - IgG	126.1 ^H	UA/mL	Negative: < 8	ELISA
			Doubtfull: 8 - 12	

Positive: > 12

A positive test result confirms the presence of specific antibodies.

A negative result indicates that no clinically relevant antibodies against the pathogen are present in the patient's sample, but does not exclude the possibility of an acute infection.

In case of a borderline result a reliable evaluation is not possible.

A definitive diagnosis can only be achieved by testing paired serum samples, taken at one to two weeks intervals, in parallel.

Remarks:

Lab No.

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 14-09-2024 16:50:00 Received On: 14-09-2024 22:35:00 Authenticated On: 16-09-2024 12:05:00

Released On: 16-09-2024 12:31:17

Kumareshan Sr. Technician DHA-P-2992011

Padmapriya

