

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : ABDUL RAJEETH ABDUL LATHEIF DOB/Gender : 03-04-1979 (45 Yrs 5 Month 25 Days/Male)

: NAS ADMINISTRATION SERVICES LTD

Lab No. : 22242720056

Request Date : 28-09-2024 12:05:31

Insurance

File. No. : AAL02-417038 Referral Doctor

: Dr. Ahsan Hussain Referral Clinic : Citicare Medical Center LLC

Clinic File No : 44317

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name Result Units Ref. Range Method *HSV-I, IgM <10.00 U/mL **ELISA** Negative < 20 Borderline:> = 20 to < 30

Positive >= 30

Seroconversion, producing IgM is indicative of an early primary infection. As the infection progresses the IgM antibodies decline so that they are usually no longer detectable after a few weeks or months. In contrast to primary infections, IgM is rarely detectable during HSV reactivations. Please note Reference Range Reviewed w.ef 10/11/2022.

Test result obtained through technical collaboration with Medsol group of laboratories.

Sample Type: Serum

------ End Of Report ------

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

Authenticated On: 28-09-2024 20:56:00

Patient Sample Collected On: 25-09-2024 13:45:00

Received On: 28-09-2024 12:06:00

Released On: 28-09-2024 20:58:17

Esmeralda Obenita

Lab Incharge DHA-P-2992011