

LABORATORY REPORT

Name	: JOHN DUSNTAN MENG-HOWE CAWLEY	File. No.	: AAL02-416740
DOB/Gender	: 10-02-1998 (26 Yrs 7 Month 16 Days/Male)	Referral Doctor	: Dr. Humaira Mumtaz
Lab No.	: 22242700097	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 26-09-2024 12:49:34	Clinic File No	: 44320
Insurance	: No		

**SEXUALLY TRANSMITTED DISEASES (STD) SCREEN I
MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS**

Test Name	Result	Units	Ref. Range	Method
Chlamydia trachomatis Ag	Negative		Negative	Immunochromatographic
Chlamydia sample type	Urine			

Detection of Chlamydia depends on the number of bacteria present in the specimen. This may be affected by specimen collection methods and patient factors such as age, history of STD, presence of symptoms, etc. Especially in chronic infections without clear symptoms the number of pathogens may be low. The minimum detection level of this test may vary according to the serovar. If bacterial burden is very low in the sample, false negative results cannot be excluded. Samples containing high amounts of mucus or blood may cause false positive results.

As with all diagnostic tests, a definitive clinical diagnosis should not be based on the results of a single test, but should only be made by the physician after all clinical and laboratory findings have been evaluated.

Sample Type : Swab

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 25-09-2024 13:30:00
Authenticated On : 26-09-2024 15:37:45

Received On : 26-09-2024 13:13:00
Released On : 26-09-2024 15:44:31

Pring

Padmapriya Kumareshan
Sr. Technician
DHA-P-2992011